Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	318	(715/745,747).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:42
L2	514	(715/744).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:42
L3	117	(715/740).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:43
L4	142	(715/748).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:43
L5	3634	709/217.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:46
L6	1298	710/8.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:46
L7	710	710/10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:49
L8	55	("6003065" "6456388")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:49
L9	4	("6003065" "6456388").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:50

	1	1	<u> </u>	r	T	
L10	7080	358/1.15.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:50
L11	7080	(358/1.15).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:50
L12	1949	(709/201).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:51
L13	77	(1 2 3 4 5 6 7 10 12) and ((download\$3 down-load\$3 load\$3) with (application) with (peripheral printer) with (computer server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:52
L14	0	(1 2 3 4 5 6 7 10 12) and ((download\$3 down-load\$3 load\$3) with (application) with (peripheral printer) with (computer server) with (servlet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:53
L15	35	(1 2 3 4 5 6 7 10 12) and ((download\$3 down-load\$3 load\$3 deliver\$3 transfer\$4 transmit\$4 send\$3) with (application data file information info) with (servlet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:56
L16	1	((download\$3 down-load\$3 load\$3 upload\$3 up-load\$3 transfer\$4 send\$3 transmit\$4) with (application program information info data) with (peripheral printer) with (computer server) with (servlet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:54
L17	1	((download\$3 down-load\$3 load\$3 upload\$3 up-load\$3 transfer\$4 send\$3 transmit\$4) with (application program information info data file) with (peripheral printer) with (computer server) with (servlet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:55
L18	1	((updat\$3) with (servlet) with (user) with (chang\$3 edit\$3 alter\$5 adjust\$4 modif\$8) with (setting profile preference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:56

		(( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	110 202::-	Γ		2005/42/2
L19	203	((updat\$3) with (servlet appliance application program printer peripheral) with (user) with (chang\$3 edit\$3 alter\$5 adjust\$4 modif\$8) with (setting profile preference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:56
L20	20	(1 2 3 4 5 6 7 10 12) and 19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:56
S1	16185	client and server and network and ((load\$3 download\$3) with (application program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/19 11:12
S2	7698	(client and server and network and ((load\$3 download\$3) with (application program))) and (web with server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 15:51
S3	3677	((client and server and network and ((load\$3 download\$3) with (application program))) and (web with server)) and embed\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/19 11:13
S4	3563	(((client and server and network and ((load\$3 download\$3) with (application program))) and (web with server)) and embed\$4) and (memory storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/19 11:13
S5	155	(((((client and server and network and ((load\$3 download\$3) with (application program))) and (web with server)) and embed\$4) and (memory storage)) and ((load\$3 download\$3) with (power on/off "turn on" "turn off"))) and ((load\$3 download\$3) with (parameter configuration setting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/19 11:30
S6	6	("5410691"   "5446575"   "5615372"   "5664117"   "5680615"   "5684996").PN.	USPAT	OR	OFF	2004/01/19 12:55
S7	228	((((client and server and network and ((load\$3 download\$3) with (application program))) and (web with server)) and embed\$4) and (memory storage)) and ((load\$3 download\$3) with (power on/off "turn on" "turn off"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/19 14:39

S8	1859	(download\$3 adj (file application program)) with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/19 14:43
S9	57	(download\$3 adj (file application program)) with server with (printer "peripheral devices")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 07:16
S10	38595	"virtual machine" "peripheral devices"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 07:16
S11	1148	(("virtual machine" "peripheral devices") with server) and client and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 07:17
S12	426	((("virtual machine" "peripheral devices") with server) and client and network) and ((load\$3 download\$3) with application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 07:18
S13	226	(((("virtual machine" "peripheral devices") with server) and client and network) and ((load\$3 download\$3) with application)) and (power on/off)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 07:19
S14	32	(((load\$3 download\$3) with application) with ("virtual machine" "peripheral devices") with server) and network and client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 07:20
S15	42	((load\$3 download\$3) with application) with ("virtual machine" "peripheral devices") with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 07:43
S16	17	((((load\$3 download\$3) with application) with ("virtual machine" "peripheral devices") with server) and network and client) and (embedded)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 07:43
S17	15	(((((load\$3 download\$3) with application) with ("virtual machine" "peripheral devices") with server) and network and client) and (embedded)) and (storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 07:44

S18	13	(((((load\$3 download\$3) with application) with ("virtual machine" "peripheral devices") with server) and network and client) and (embedded)) and (power "on/off" "turn on" "turn off")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 07:46
S19	1	"chai loader"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 07:47
S20	982	((load\$3 download\$3) adj (objects applications programs)) with (printer virtual machine "peripheral devices")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 07:48
S21	48	(((load\$3 download\$3) adj (objects applications programs)) with (printer virtual machine "peripheral devices")) with (internet web)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 07:49
S22	375	(((load\$3 download\$3) adj (objects applications programs)) with (printer virtual machine "peripheral devices")) and (power "turn on" "on/off")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 07:50
S23	110	(((((load\$3 download\$3) adj (objects applications programs)) with (printer virtual machine "peripheral devices")) and (power "turn on" "on/off")) and (internet web)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 07:50
S24	25	((((load\$3 download\$3) adj (objects applications programs)) with (printer virtual machine "peripheral devices")) with (internet web)) and (power "turn on" "turn off" "on/off")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 08:51
S25	19	("5623656"   "5915001"   "5987256"   "6058482"   "6105067"   "6125387"   "6144990"   "6216157"   "6233577"   "6317782"   "6347340"   "6366916"   "6369821"   "6430564"   "6438592"   "6446109"   "6456308"   "6457065"   "6470447"   "2002/0026349"   "2002/0087383"	USPAT	OR	OFF	2004/01/20 08:48
		"2002/008/383"   "2003/0014326"   "2003/0041280"   "2003/0061323").PN.				

S26	0	((load\$3 download\$3)adj (object application)) with printer with from with (web internet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 08:53
S27	6	((load\$3 download\$3)adj (object application)) with printer with (web internet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 08:54
S28	31	network and ("embedded device" "peripheral device") with ((loading download\$3 updat\$3) adj (program object application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 08:56
S29	38	network and ("embedded device" "peripheral device") with ((load\$3 download\$3 updat\$3) adj (program object application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 10:25
S30	8	("3845472"   "4305148"   "4648063"   "5142624"   "5445295"   "5467609"   "5539304"   "5593349").PN.	USPAT	OR	OFF	2004/01/20 10:03
S31	8	("3845472"   "4305148"   "4648063"   "5142624"   "5445295"   "5467609"   "5539304"   "5593349").PN.	USPAT	OR	OFF	2004/01/20 10:05
S32	6	("5109486"   "5375207"   "5555374"   "5590288"   "5802290"   "5850573").PN.	USPAT	OR	OFF	2004/01/20 10:06
S33	2386	"java.tm"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 10:25
S34	921	"java.tm" and "virtual machine"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 10:25
S35	290	("java.tm" and "virtual machine") and ((load\$3 download\$3 updat\$3) with (internet web))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 10:26
S36	157	(("java.tm" and "virtual machine") and ((load\$3 download\$3 updat\$3) with (internet web))) and embedded	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 10:26

	· · · · · · · · · · · · · · · · · · ·		т			
S37	149	((("java.tm" and "virtual machine") and ((load\$3 download\$3 updat\$3) with (internet web))) and embedded) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 10:26
S38	145	(((("java.tm" and "virtual machine") and ((load\$3 download\$3 updat\$3) with (internet web))) and embedded) and network) and (memory storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 10:27
S39	74	((((("java.tm" and "virtual machine") and ((load\$3 download\$3 updat\$3) with (internet web))) and embedded) and network) and (memory storage)) and ("peripheral device" "attached device" "printer")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 10:27
S40	2475	servlet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/21 15:14
S41	427	servlet and (application with (header body URL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/21 15:15
S42	412	(servlet and (application with (header body URL))) and network and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/21 15:15
S43	364	((servlet and (application with (header body URL))) and network and server) and (load\$3 download\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/21 15:16
S44	2	(((servlet and (application with (header body URL))) and network and server) and (load\$3 download\$3)) and ("application header" "application body")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/21 15:21
S45	164	(345/749 345/748).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 16:10

<u> </u>	T	[	T			
S46	2	((345/749 345/748).ccls.) and (stor\$3 with (application) with (header package tag ID identifi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 16:14
S47	393	(709/203 709/217 709/219).ccls. and (stor\$3 with (application) with (header package tag ID identifi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 16:15
S48	0	(709/203 709/217 709/219).ccls. and (stor\$3 with (application) with (header tag ID identifi\$6) with (download\$3) with (URL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 16:15
S49	16	(709/203 709/217 709/219).ccls. and (stor\$3 with (application) with (header tag ID identifi\$6) with (download\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 16:16
S50	22	(709/203 709/217 709/219).ccls. and (stor\$3 with (application) with (header tag ID identifi\$6)) and (download\$3 with URL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 16:33
S82	0	"6003065".pn. and ((host server) with (central center main) with (configur\$5 setup set-up "set up") with (setting value data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:33
S83	0	"6003065".pn. and ((host server) with (configur\$5 setup set-up "set up") with (setting value data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:33
S84	2	"6003065".pn. and ((host server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:39
S85	1	"6003065".pn. and (configur\$5 setup set-up "set up" setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:44

			· · · · · · · · · · · · · · · · · · ·			
S86	0	"6003065".pn. and ((configur\$5 setup set-up "set up" setting) with (host server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:45
S87	2	"6003065".pn. and ((host server) with (function application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:49
S88	1	"6003065".pn. and (user with (setting profile setup set-up configuration preference))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 15:16
S89	1	"6003065".pn. and (central center middle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 16:42
S90	29	(configur\$5 set-up setup sets-up "sets up" "set up") with network with (peripheral attach\$4) with (appliance device machine apparatus system) with user with (profile setting value preference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/02/03 16:45
S91	56	(configur\$5 setup set-up "set up" "sets up" sets-up setsup) with (setting) with (peripheral) with (device apparatus machine system computer) with (user) with (profile preference setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 07:21
S92	79	(configur\$5 setup set-up "set up" "sets up" sets-up setsup) with (peripheral) with (device apparatus machine system computer) with (user) with (profile preference setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 07:33
S93	29	(configur\$5 set-up setup sets-up "sets up" "set up") with network with (peripheral attach\$4) with (appliance device machine apparatus system) with user with (profile setting value preference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/02/04 07:21

	T		1	T		<u> </u>
S94	50	S91 not S93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 07:22
S95	16	S92 not (S91 S93)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 07:58
S96	2	(load\$3 down-load\$3 download\$3 configur\$5 setup set-up "set up" setsup sets-up setsup with (respective corresponding associat\$3) with (user) with (setting profile preference) with (peripheral) with (device apparatus computer printer copier scanner apparatus) with (network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 08:17
S97	1	"20020095425" and ((user) with (setting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 08:18
S98	12	(configur\$5 setup set-up "set up" "sets up" setsup sets-up) with (user) with (setting profile preference) with (first second plurality multiple) with (device apparatus system machine computer printer copier scanner) with (peripheral)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:48
S99	428	(configur\$5 setup set-up "set up" "sets up" setsup sets-up) with (user) with (setting profile preference) with (plurality multiple numerous) with (device apparatus system machine computer printer copier scanner peripheral)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:56
S10 0	0	(715/744,747)".ccls"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:56

	1	T	T	Γ	T	1 1
S10 1	492	(715/744,747).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 10:35
S10 2	1	S101 and S99	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 10:36
S10 3	21	S101 and ((configur\$5 setup set-up "set up" "sets up" "sets-up" setsup load\$3 download3 down-load\$3) with (device apparatus machine peripheral system printer copier) with (user) with (setting profile preference))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 10:38
S10 4	1	"6003065".pn. and (user with (setting profile preference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 15:34
S10 5	0	("20020097262" "6456388" "6003065") and ((updat\$3) with (software virus) with (fix\$3 patch))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 15:45
S10 6	2	("20020097262" "6456388" "6003065") and ((updat\$3) with (application device) with (software fix\$3 patch))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:02
S10 7	2	"6003065".pn. and (load\$3 download\$3 down-load\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 08:03